


CITY OF



CANCER STATISTICS MONOGRAPH


JULY 2017






Cancer Incidence — African American Males

- Presented on this page is information about the top 10 newly diagnosed (incident) malignant cancers in the city of Detroit. The bar-chart shows age-adjusted incidence rates, and the pie-chart shows the makeup of all cancers.
- Age-Adjusted rates are calculated by standardizing the Detroit incidence rates to the age distribution of the U.S population (from the 2000 Census).
- N is the actual number of each type of cancer in Detroit and are not age-adjusted.
- % is the proportion of all Detroit cancers and are not age-adjusted.



**Incident Malignant Cancers, City of Detroit, 2010-2014
African American Males**


| Cancer Site | Rate | N | % |
|-------------------------|--------|------|------|
| Prostate | 220.36 | 2845 | 34.1 |
| Lung and Bronchus | 111.89 | 1355 | 16.2 |
| Colorectal | 60.88 | 756 | 9.1 |
| Kidney | 34.24 | 439 | 5.3 |
| Liver | 24.43 | 344 | 4.1 |
| Pancreas | 21.57 | 266 | 3.2 |
| Multiple Myeloma | 18.53 | 216 | 2.6 |
| Non Hodgkins's Lymphoma | 18.19 | 230 | 2.8 |
| Stomach | 14.39 | 176 | 2.1 |
| Urinary Bladder | 14.29 | 167 | 2.0 |
| Other Cancers | 120.89 | 1546 | 18.5 |






Cancer Incidence — Caucasian Males

- Presented on this page is information about the top 10 newly diagnosed (incident) malignant cancers in the city of Detroit. The bar-chart shows age-adjusted incidence rates, and the pie-chart shows the makeup of all cancers.
- Age-Adjusted rates are calculated by standardizing the Detroit incidence rates to the age distribution of the U.S population (from the 2000 Census).
- N is the actual number of each type of cancer in Detroit and are not age-adjusted.
- % is the proportion of all Detroit cancers and are not age-adjusted.



**Incident Malignant Cancers, City of Detroit, 2010-2014
Caucasian Males**


| Cancer Site | Rate | N | % |
|-------------------------|--------|-----|------|
| Prostate | 131.23 | 301 | 23.2 |
| Lung and Bronchus | 102.68 | 233 | 17.9 |
| Colorectal | 58.53 | 131 | 10.1 |
| Non Hodgkins's Lymphoma | 27.73 | 61 | 4.7 |
| Kidney | 22.65 | 52 | 4.0 |
| Liver | 21.85 | 54 | 4.2 |
| Leukemia | 20.82 | 45 | 3.5 |
| Urinary Bladder | 19.88 | 43 | 3.3 |
| Pancreas | 18.16 | 41 | 3.2 |
| Multiple Myeloma | 12.82 | 28 | 2.2 |
| Other Cancers | 138.02 | 310 | 23.9 |






Cancer Incidence — African American Females

- Presented on this page is information about the top 10 newly diagnosed (incident) malignant cancers in the city of Detroit. The bar-chart shows age-adjusted incidence rates, and the pie-chart shows the makeup of all cancers.
- Age-Adjusted rates are calculated by standardizing the Detroit incidence rates to the age distribution of the U.S population (from the 2000 Census).
- N is the actual number of each type of cancer in Detroit and are not age-adjusted.
- % is the proportion of all Detroit cancers and are not age-adjusted.



Incident Malignant Cancers, City of Detroit, 2010-2014 African American Females


| Cancer Site | Rate | N | % |
|-------------------------|--------|------|------|
| Breast | 123.89 | 2194 | 28.2 |
| Lung and Bronchus | 69.65 | 1256 | 16.1 |
| Colorectal | 45.02 | 810 | 10.4 |
| Uterus | 27.22 | 492 | 6.3 |
| Pancreas | 18.62 | 336 | 4.3 |
| Thyroid | 14.59 | 254 | 3.3 |
| Kidney | 14.16 | 249 | 3.2 |
| Multiple Myeloma | 10.73 | 191 | 2.5 |
| Non Hodgkins's Lymphoma | 10.16 | 180 | 2.3 |
| Ovary | 9.69 | 175 | 2.2 |
| Other Cancers | 93.28 | 1651 | 21.2 |






Cancer Incidence — Caucasian Females


- Presented on this page is information about the top 10 newly diagnosed (incident) malignant cancers in the city of Detroit. The bar-chart shows age-adjusted incidence rates, and the pie-chart shows the makeup of all cancers.
- Age-Adjusted rates are calculated by standardizing the Detroit incidence rates to the age distribution of the U.S population (from the 2000 Census).
- N is the actual number of each type of cancer in Detroit and are not age-adjusted.
- % is the proportion of all Detroit cancers and are not age-adjusted.



Incident Malignant Cancers, City of Detroit, 2010-2014 Caucasian Females

| Cancer Site | Rate | N | % |
|-------------------------|--------|-----|------|
| Breast | 97.08 | 237 | 21.4 |
| Lung and Bronchus | 67.60 | 178 | 16.1 |
| Uterus | 38.99 | 93 | 8.4 |
| Colorectal | 37.74 | 101 | 9.1 |
| Thyroid | 22.09 | 46 | 4.2 |
| Non Hodgkins's Lymphoma | 18.99 | 44 | 4.0 |
| Cervix Uteri | 17.55 | 34 | 3.1 |
| Kidney | 14.24 | 35 | 3.2 |
| Ovary | 13.52 | 33 | 3.0 |
| Leukemia | 12.83 | 40 | 3.6 |
| Other Cancers | 100.49 | 266 | 24.0 |







Cancer Mortality — African American Males

- Presented on this page is information about the top 10 cancer causes of death (mortality) in the city of Detroit. The bar-chart shows age-adjusted incidence rates, and the pie-chart shows the makeup of all cancers.
- Age-Adjusted rates are calculated by standardizing the Detroit mortality rates to the age distribution of the U.S population (from the 2000 Census).
- N is the actual number of each type of cancer in Detroit and are not age-adjusted.
- % is the proportion of all Detroit cancers and are not age-adjusted.

Cancer Mortality, City of Detroit, 2010-2014 African American Males

| Cancer Site | Rate | N | % |
|-------------------------|-------|-----|------|
| Lung and Bronchus | 78.55 | 938 | 29.5 |
| Prostate | 39.25 | 406 | 12.8 |
| Colorectal | 25.47 | 300 | 9.4 |
| Pancreas | 17.65 | 214 | 6.7 |
| Liver | 16.93 | 234 | 7.4 |
| Multiple Myeloma | 8.19 | 90 | 2.8 |
| Stomach | 7.55 | 90 | 2.8 |
| Leukemia | 6.89 | 80 | 2.5 |
| Non Hodgkins's Lymphoma | 6.85 | 80 | 2.5 |
| Urinary Bladder | 6.73 | 73 | 2.3 |
| Other Cancers | 54.29 | 676 | 21.3 |







Cancer Mortality — Caucasian Males

- Presented on this page is information about the top 10 cancer causes of death (mortality) in the city of Detroit. The bar-chart shows age-adjusted incidence rates, and the pie-chart shows the makeup of all cancers.
- Age-Adjusted rates are calculated by standardizing the Detroit mortality rates to the age distribution of the U.S population (from the 2000 Census).
- N is the actual number of each type of cancer in Detroit and are not age-adjusted.
- % is the proportion of all Detroit cancers and are not age-adjusted.

Cancer Mortality, City of Detroit, 2010-2014 Caucasian Males

| Cancer Site | Rate | N | % |
|-------------------------|-------|-----|------|
| Lung and Bronchus | 58.68 | 134 | 30.9 |
| Colorectal | 19.14 | 44 | 10.2 |
| Prostate | 11.67 | 25 | 5.8 |
| Pancreas | 10.77 | 25 | 5.8 |
| Non Hodgkins's Lymphoma | 8.34 | 19 | 4.4 |
| Liver | 8.13 | 20 | 4.6 |
| Urinary Bladder | 7.62 | 17 | 3.9 |
| Esophagus | 6.18 | 14 | 3.2 |
| Leukemia | 6.07 | 14 | 3.2 |
| Brain | 4.58 | 11 | 2.5 |
| Other Cancers | 47.37 | 110 | 25.4 |






Cancer Mortality — African American Females

- Presented on this page is information about the top 10 cancer causes of death (mortality) in the city of Detroit. The bar-chart shows age-adjusted incidence rates, and the pie-chart shows the makeup of all cancers.
- Age-Adjusted rates are calculated by standardizing the Detroit mortality rates to the age distribution of the U.S population (from the 2000 Census).
- N is the actual number of each type of cancer in Detroit and are not age-adjusted.
- % is the proportion of all Detroit cancers and are not age-adjusted.

Cancer Mortality, City of Detroit, 2010-2014 African American Females


| Cancer Site | Rate | N | % |
|-------------------|-------|-----|------|
| Lung and Bronchus | 45.46 | 819 | 25.3 |
| Breast | 29.76 | 536 | 16.6 |
| Colorectal | 15.95 | 288 | 8.9 |
| Pancreas | 14.20 | 256 | 7.9 |
| Uterus | 9.36 | 167 | 5.2 |
| Ovary | 5.73 | 105 | 3.2 |
| Multiple Myeloma | 5.14 | 92 | 2.8 |
| Cervix Uteri | 4.32 | 77 | 2.4 |
| Leukemia | 4.23 | 73 | 2.3 |
| Stomach | 4.21 | 77 | 2.4 |
| Other Cancers | 41.34 | 742 | 23.0 |





Cancer Mortality — Caucasian Females

- Presented on this page is information about the top 10 cancer causes of death (mortality) in the city of Detroit. The bar-chart shows age-adjusted incidence rates, and the pie-chart shows the makeup of all cancers.
- Age-Adjusted rates are calculated by standardizing the Detroit mortality rates to the age distribution of the U.S population (from the 2000 Census).
- N is the actual number of each type of cancer in Detroit and are not age-adjusted.
- % is the proportion of all Detroit cancers and are not age-adjusted.



Cancer Mortality, City of Detroit, 2010-2014 Caucasian Females

| Cancer Site | Rate | N | % |
|-------------------------|-------|-----|------|
| Lung and Bronchus | 44.60 | 116 | 28.6 |
| Breast | 20.24 | 54 | 13.3 |
| Colorectal | 12.97 | 36 | 8.9 |
| Pancreas | 8.26 | 28 | 6.9 |
| Ovary | 7.98 | 22 | 5.4 |
| Uterus | 5.90 | 17 | 4.2 |
| Leukemia | 4.39 | 13 | 3.2 |
| Other Biliary System | 3.34 | 10 | 2.5 |
| Non Hodgkins's Lymphoma | 3.32 | 10 | 2.5 |
| Urinary Bladder | 3.26 | 10 | 2.5 |
| Other Cancers | 33.00 | 90 | 22.2 |

